



GD60 - 1200

**Specifications** 

1,460 Information in this specification may be subject to change without notice. Please ensure you have the current version before beginning installation. Plan View 130 <mark>↓ 130 ↓</mark> 610 000 675 1,460 Side View **Front View** TOLERANCE = +/- 3mm 100 - min. to combustibles 100 - min. to




Fire Installation
NOTE: Confirm fixing holes on site prior to drilling



Fire Installation - Clearance to Combustibles

COPYRIGHT©
THIS DRAWING IS THE PROPERTY Client: THE FIRE DEPT. oF The Fire Dept. Product: GD60-1200 Title: FIREBOX DIMENSIONS Date: 08/12/2017 Drawn: SR Date: 08/12/2017 Chkd: JW Appd: JW Date: 08/12/2017 Scale: GD60-1200-901 Drawing No. Sheet 01 of 02 Revision



LEGEND:

I = Mechanical air inletM = Gas meter

P = Electricity meter or fuse box
S = Structure
T = Flue terminal

a = 200 b = 300 c = 300 d = 1000 e = 500 f = 75

Z = Fan-assisted appliance only

Shading indicates prohibited area for flue terminals

## NOTES:

Where dimensions *c*, *j* or *k* cannot be achieved an equivalent horizontal distance measured diagonally from the nearest discharge point of the terminal to the opening may be deemed by the Technical Regulator to comply.

Location of Flue Terminals of Balanced Flue, Room-Sealed, Fan-Assisted or Outdoor Appliances

g = 500 h = 300 j = 300 (at window) & 1500

(fan-assisted appliance by the door) k = 1000 n = 500


NOTE: To be read in conjunction with AS/NZS 5601.1:2013

COPYRIGHT©
THIS DRAWING IS THE PROPERTY oF The Fire Dept. Client: THE FIRE DEPT.

Product: GD60-1200

Title: FLUE EXIT CLEARANCES

Date: 08/12/2017 Drawn: SR Chkd: JW Date: 08/12/2017 Appd: JW Date: 08/12/2017





GD60-1200-902 Drawing No.

Sheet 02 of 02 Revision