



GD61 - 1600

Specifications





LEGEND:

I = Mechanical air inletM = Gas meter

P = Electricity meter or fuse box
S = Structure
T = Flue terminal

Z = Fan-assisted appliance only Shading indicates prohibited area for flue terminals

a = 200 b = 300 c = 300 d = 1000 e = 500 f = 75g = 500 h = 300 j = 300 (at window) & 1500 (fan-assisted appliance by the door) k = 1000 n = 500

NOTES:

Where dimensions *c*, *j* or *k* cannot be achieved an equivalent horizontal distance measured diagonally from the nearest discharge point of the terminal to the opening may be deemed by the Technical Regulator to comply.

Location of Flue Terminals of Balanced Flue, Room-Sealed, Fan-Assisted or Outdoor Appliances


NOTE: To be read in conjunction with AS/NZS 5601.1:2013

COPYRIGHT©
THIS DRAWING IS THE PROPERTY oF The Fire Dept. Client: THE FIRE DEPT.

Product: GD61-1600

Title: FLUE EXIT CLEARANCES

Date: 08/12/2017 Drawn: SR Chkd: JW Date: 08/12/2017 Appd: JW Date: 08/12/2017





GD61-1600-902 Drawing No.

Sheet 02 of 02 Revision