



GD10 | 2000 SPECIFICATIONS





LEGEND: I = Mechanical air inlet M = Gas meter P = Electricity meter or fuse box S = Structure

a = 200 b = 300 c = 300 d = 1000 e = 500 f = 75

T = Flue terminal

Z = Fan-assisted appliance only

Shading indicates prohibited area for flue terminals

NOTES:

1 Where dimensions c, j or k cannot be achieved an equivalent horizontal distance measured diagonally from the nearest discharge point of the terminal to the opening may be deemed by the Technical Regulator to comply.

Location of Flue Terminals of Balanced Flue, Room-Sealed, Fan-Assisted or Outdoor Appliances

g = 500 h = 300 j = 300 (at window) & 1500

(fan-assisted appliance by the door) k = 1000 n = 500

NOTE: To be read in conjunction with AS/NZS 5601.1:2013

COPYRIGHT© THIS DRAWING IS THE PROPERTY OF The Fire Dept.

Client: THE FIRE DEPT. Product: GD10-2000

Title: FLUE EXIT CLEARANCES

Drawn: LB

Date: 20/05/2020 JW Date: 08/05/2018 Chkd: Appd: JW Date: 08/05/2018 Scale: on A4



GD10-2000-902 Drawing No.

02 of 02 Sheet

Revision